

## WKU HEALTH SERVICES-Vaccine Recommendations

### Highly Recommended

Menomune<sup>®</sup>\*  
Menactra\*

Vaccination for bacterial meningitis (a serious infection of the lining of the brain).

It is recommended for all students, **especially for those students living in the residence halls.**

Hepatitis B\*

Recommended for all people.

It may be required for certain health care workers and health sciences students. 3 injections – **First injection at any time, second injection 30 days after the first, third injection six months after the first.**

Signed waiver accepted in lieu of vaccination **for certain health care students.**

**Now recommended that most patients receive the combination Hepatitis A/Hepatitis B (Twinrix) if they are just starting the vaccine series.**

MMR

MMR-Measles, Mumps and Rubella vaccination.

**Two shot series given in early childhood. May require proof of immunity for certain health care students, or in pregnancy.**

*Proof of immunity against each infection will also be accepted.*

In view of the recent Mumps outbreak in Iowa and surrounding states, we recommend that you review your child's immunization record and confirm that s/he had received **2 doses of MMR.** If the do not have documentation of 2 doses we strongly recommend that you check with your family doctor or local Health Department about getting the second dose prior to arriving at school.

Tetanus/diphtheria\*  
DECAVAC

Booster every 10 years in absence of Tetanus-prone wound.

In the event of Tetanus-prone injury, booster is required if more than five years since last vaccination.

A newer variety including a Pertussis booster is becoming available. This is intended as a one time booster for adults, and may be given instead of the tetanus/diphtheria combination for both routine boosters and for use in injuries.

TB\*

**This is not a vaccine, but rather a test for exposure to tuberculosis.**

**May be required for certain** international and health sciences, **and education** students.

Annual TB Test or chest x-ray (for patients with a previous positive test).

**If patient has not had a TB test in last 12 months, a two-step test may be required.**

Documentation of treatment for positive results is required.

Influenza\*

**Now recommended for all patients.** However, it is strongly recommended for people with chronic diseases, those over age 65 less than 6 months, and for health care workers.

### Recommended

Varicella  
(Chicken Pox)

Ordered on as-needed basis.

Two separate injections, 4-8 weeks apart.

*Only for students without history of chicken pox infection*

Hepatitis A\*

Recommended for travelers to certain areas, and recently recommended for routine vaccination of infants.

Two separate injections, the second 6 to 12 months after the first.

**This may be received as a three shot series combined with Hepatitis B.**

TWINRIX\*

Combines Hepatitis A and Hepatitis B vaccines.

It is now the recommended vaccine for all patients who need either the Hepatitis A or B vaccine and have not yet received the other.

**Please consult your health care provider for additional information and specific recommendations for your circumstances.**

---

\* In stock at WKU Health Services